	,	
	Application No.	Applicant(s)
Nation of Allowahility	10/656,023	SUK, MIKE
Notice of Allowability	Examiner	Art Unit
	Mitchell R. Slavitt	2651
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to the amendment filed	<u>4/7/05</u> .	
2. The allowed claim(s) is/are <u>1-32</u> .		•
3. $\boxtimes$ The drawings filed on <u>05 September 2003</u> are accepted by	the Examiner.	
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE"</li> </ul>	been received.  been received in Application No cuments have been received in this r	national stage application from the
noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	ENT of this application.	
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give</li> </ol>		
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet of the state of the sheet	on's Patent Drawing Review (PTO-S Amendment / Comment or in the O 84(c)) should be written on the drawin	ffice action of
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I</li> </ol>		
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Date 8), 7. ☐ Examiner's Amendm	ė

Application/Control Number: 10/656,023 Page 2

Art Unit: 2651

## Reasons for Allowance

1. Claims 1-32 are allowed as the prior art does not teach or suggest the applicant's invention. The Examiner agrees with the arguments of the applicant stated in the Remarks section of the amendment. Although the combination of references read on the claims, a reasonable motivation for the combination cannot be provided.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mitchell R. Slavitt whose telephone number is (571) 272-7562. The examiner can normally be reached on M-F (6:30-4:00), 2nd Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David R. Hudspeth can be reached on (571) 272-7843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DAVID HUDSPETH SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

MS ms